

# ACE DECOFLOOR 150 BASE

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

### 1.1 Product identifier.

Product Name: ACE DECOFLOOR 150 BASE

### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Professional exclusive use.

For treating concrete, steel and other surfaces.

Uses advised against:

Uses other than those recommended.

### 1.3 Details of the supplier of the safety data sheet.

Company: ACE COATINGS

Address: Campo Sagrado, 1133205

City: Gijón

Province: Asturias

Telephone: +34 985 323 328

E-mail: info@acecoatings.com

Web: www.acecoatings.com

### 1.4 Emergency telephone number: (Available 24 hours)

Telephone number

+34 977 822 245 (Only available during office hours)

EUROPE: +32 35 75 1234

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture.

In accordance with Regulation (EU) No 1272/2008:

Aquatic Chronic 3 : Harmful to aquatic life with long lasting effects.

Skin Sens. 1 : May cause an allergic skin reaction.

# ACE DECOFLOOR 150 BASE

## 2.2 Label elements.

Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:



Signal Word: Warning

Hazard statements:

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P321 Specific treatment (see ... on this label)

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container to ...

Contains:

tetraethyl N, N'-(methylenedicyclohexane4,1-diyl)bis-DL-aspartate

## 2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

The product may have the following additional risks: Get away from the water

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

### 3.1 Substances.

Not Applicable.

## Safety Data Sheet

Conforms to Regulation (EC) n° 1907/2006  
(REACH), Anexo II – United Kingdom (UK)

# ACE DECOFLOOR 150 BASE

### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

| Identifiers                                                       | Name                                                              | Concentrate | (*)Classification - Regulation (EC)<br>No 1272/2008 |                                                                     |
|-------------------------------------------------------------------|-------------------------------------------------------------------|-------------|-----------------------------------------------------|---------------------------------------------------------------------|
|                                                                   |                                                                   |             | Classification                                      | Specifics<br>concentration<br>limits and Acute<br>toxicity estimate |
| Index No: 607-521-00-8<br>CAS No: 136210-30-5<br>EC No: 429-270-1 | tetraethyl N, N'-(methylenedicyclohexane4,1-diyl)bis-DL-aspartate | 25 - 50 %   | Aquatic Chronic 3, H412 - Skin Sens. 1, H317        | -                                                                   |
| CAS No: 7727-43-7<br>EC No: 231-784-4                             | [1] [2] barium sulfate                                            | 25 - 50 %   | -                                                   | -                                                                   |
| CAS No: 623-91-6<br>EC No: 210-819-7                              | Diethyl fumarate                                                  | 1 - 2.5 %   | Acute Tox. 4, H302                                  | -                                                                   |
| CAS No: 13463-67-7<br>EC No: 236-675-5                            | [2] Titanium dioxide                                              | 0 - 2.5 %   | -                                                   | -                                                                   |
| CAS No: 2768-02-7<br>EC No: 220-449-8                             | trimethoxyvinylsilane                                             | 1 - 2.5 %   | Acute Tox. 4, H332 - Flam. Liq. 3, H226             | -                                                                   |
| CAS No: 1309-37-1<br>EC No: 215-168-2                             | [2] diiron trioxide                                               | 0 - 2.5 %   | -                                                   | -                                                                   |

(\*)The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

[1] Substance with a European Union exposure limit in the workplace (see section 8.1).

[2] Substance with a national workplace exposure limit (see section 8.1).

## SECTION 4: FIRST AID MEASURES.

### 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

#### Dirección Corporativa:

ACE COATINGS S.L.  
Campo Sagrado, 11  
33205 - Gijón - España (Spain)



+34 985 323 328  
www.acecoatings.com  
info@acecoatings.com

ACE COATINGS LATAM SPA  
Av/ Apoquindo 3885 Piso 18  
Las Condes-Santiago de Chile  
+56 931 865 276

# ACE DECOFLOOR 150 BASE

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

It may cause an allergic reaction, dermatitis, redness or inflammation of the skin.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. If the person vomits, clear the respiratory tract. Keep the person comfortable. Turn him/her over to the left side and stay there while waiting for medical care.

## SECTION 5: FIREFIGHTING MEASURES.

The product does not present any particular risk in case of fire.

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO<sub>2</sub>. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment. Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

6.1 Personal precautions, protective equipment and emergency procedures.  
For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.  
Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

6.3 Methods and material for containment and cleaning up.  
Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.  
Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

6.4 Reference to other sections.  
For exposure control and individual protection measures, see section 8.  
For later elimination of waste, follow the recommendations under section 13.

## **SECTION 7: HANDLING AND STORAGE.**

7.1 Precautions for safe handling.  
For personal protection, see section 8.  
In the application area, smoking, eating, and drinking must be prohibited.  
Follow legislation on occupational health and safety.  
Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.  
Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 °C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorized persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.  
The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).  
Not available.

## Safety Data Sheet

Conforms to Regulation (EC) n° 1907/2006  
(REACH), Anexo II – United Kingdom (UK)

# ACE DECOFLOOR 150 BASE

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

#### 8.1 Control parameters.

Work exposure limit for:

| Name             | CAS No.    | Country                      | Limit value | ppm | mg/m <sup>3</sup>                       |
|------------------|------------|------------------------------|-------------|-----|-----------------------------------------|
| barium sulfate   | 7727-43-7  | European Union [1]           | Eight hours |     | 0,5                                     |
|                  |            |                              | Short term  |     |                                         |
|                  |            | United Kingdom [2]           | Eight hours |     | 10 (inhalable dust) 4 (respirable dust) |
|                  |            |                              | Short term  |     |                                         |
|                  |            | Éire [3]                     | Eight hours |     | 5                                       |
|                  |            |                              | Short term  |     |                                         |
|                  |            | United States [4] (Cal/OSHA) | Eight hours |     | 10 (Total dust) 5 (Respirable fraction) |
|                  |            |                              | Short term  |     |                                         |
|                  |            | United States [5] (NIOSH)    | Eight hours |     | 10 (Total dust) 5 (Respirable fraction) |
|                  |            |                              | Short term  |     |                                         |
| Titanium dioxide | 13463-67-7 | United States [6] (OSHA)     | Eight hours |     | 15 (Total dust) 5 (Respirable fraction) |
|                  |            |                              | Short term  |     |                                         |
|                  |            | United Kingdom [2]           | Eight hours |     | 10 (total inhalable)                    |
|                  |            |                              | Short term  |     |                                         |
|                  |            | Éire [3]                     | Eight hours |     | 10 (Inhalable dust) 4 (Respirable dust) |
|                  |            |                              | Short term  |     |                                         |
| diiron trioxide  | 1309-37-1  | United Kingdom [2]           | Eight hours |     | 10 (total inhalable) 4 (respirable)     |
|                  |            |                              | Short term  |     |                                         |
|                  |            | Éire [3]                     | Eight hours |     | 10 (Inhalable dust) 4 (Respirable dust) |
|                  |            |                              | Short term  |     |                                         |
|                  |            | United States [4] (Cal/OSHA) | Eight hours |     | 5 (fume)                                |
|                  |            |                              | Short term  |     |                                         |
|                  |            | United States [5] (NIOSH)    | Eight hours |     | 5 (dust and fume)                       |
|                  |            |                              | Short term  |     |                                         |
|                  |            | United States [6] (OSHA)     | Eight hours |     | 10 (fume)                               |
|                  |            |                              | Short term  |     |                                         |



## ACE DECOFLOOR 150 BASE

1] According both Binding Occupational Exposure Limits (BOELVs) and Indicative Occupational Exposure Limits (IOELVs) adopted by Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL).

[2] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adopted by Health and Safety Executive.

[3] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

[4] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

[5] National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

[6] Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

| Name                                                                                                         | DNEL/DMEL         | Type                                  | Value                       |
|--------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------|-----------------------------|
| tetraethyl N, N'-(methylenedicyclohexane4,1-diyl)bis-DL-aspartate<br>CAS No: 136210-30-5<br>EC No: 429-270-1 | DNEL<br>(Workers) | Inhalation, Chronic, Systemic effects | 84<br>(mg/m <sup>3</sup> )  |
| barium sulfate<br>CAS No: 7727-43-7<br>EC No: 231-784-4                                                      | DNEL<br>(Workers) | Inhalation, Chronic, Systemic effects | 10<br>(mg/m <sup>3</sup> )  |
| Titanium dioxide<br>CAS No: 13463-67-7<br>EC No: 236-675-5                                                   | DNEL<br>(Workers) | Inhalation, Chronic, Local effects    | 10<br>(mg/m <sup>3</sup> )  |
| trimethoxyvinylsilane<br>CAS No: 2768-02-7<br>EC No: 220-449-8                                               | DNEL<br>(Workers) | Inhalation, Chronic, Systemic effects | 4,9<br>(mg/m <sup>3</sup> ) |
| diiron trioxide<br>CAS No: 1309-37-1<br>EC No: 215-168-2                                                     | DNEL<br>(Workers) | Inhalation, Chronic, Local effects    | 10<br>(mg/m <sup>3</sup> )  |
|                                                                                                              | DNEL<br>(Workers) | Inhalation, Chronic, Systemic effects | 10<br>(mg/m <sup>3</sup> )  |

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

### 8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

## Safety Data Sheet

Conforms to Regulation (EC) n° 1907/2006  
(REACH), Anexo II – United Kingdom (UK)

# ACE DECOFLOOR 150 BASE

|                                                                                                      |                                                                                                                                                                                                                                                              |                           |       |
|------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-------|
| <b>Concentration:</b>                                                                                | <b>100 %</b>                                                                                                                                                                                                                                                 |                           |       |
| <b>Uses:</b>                                                                                         | <b>Professional exclusive use.<br/>For treating concrete, steel and other surfaces.</b>                                                                                                                                                                      |                           |       |
| <b>Breathing protection:</b>                                                                         |                                                                                                                                                                                                                                                              |                           |       |
| If the recommended technical measures are observed, no individual protection equipment is necessary. |                                                                                                                                                                                                                                                              |                           |       |
| <b>Hand protection:</b>                                                                              |                                                                                                                                                                                                                                                              |                           |       |
| PPE:                                                                                                 | Work gloves.                                                                                                                                                                                                                                                 |                           |       |
| Characteristics:                                                                                     | «CE» marking, category I.                                                                                                                                                                                                                                    |                           |       |
| CEN standards:                                                                                       | EN 374-1, En 374-2, EN 374-3, EN 420                                                                                                                                                                                                                         |                           |       |
| Maintenance:                                                                                         | Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.                                       |                           |       |
| Observations:                                                                                        | Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.                                                                                                                   |                           |       |
| Material:                                                                                            | PVC (polyvinyl chloride)                                                                                                                                                                                                                                     | Breakthrough time (min.): | > 480 |
|                                                                                                      |                                                                                                                                                                                                                                                              | Material thickness (mm):  | 0,35  |
| <b>Eye protection:</b>                                                                               |                                                                                                                                                                                                                                                              |                           |       |
| PPE:                                                                                                 | Face shield.                                                                                                                                                                                                                                                 |                           |       |
| Characteristics:                                                                                     | «CE» marking, category II. Face and eye protector against splashing liquid.                                                                                                                                                                                  |                           |       |
| CEN standards:                                                                                       | EN 165, EN 166, EN 167, EN 168                                                                                                                                                                                                                               |                           |       |
| Maintenance:                                                                                         | Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly.                               |                           |       |
| Observations:                                                                                        | Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame.                                                                                                                 |                           |       |
| <b>Skin protection:</b>                                                                              |                                                                                                                                                                                                                                                              |                           |       |
| PPE:                                                                                                 | Protective clothing.                                                                                                                                                                                                                                         |                           |       |
| Characteristics:                                                                                     | «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.                                                                                                                               |                           |       |
| CEN standards:                                                                                       | EN 340                                                                                                                                                                                                                                                       |                           |       |
| Maintenance:                                                                                         | In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.                                                                                                                                      |                           |       |
| Observations:                                                                                        | The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. |                           |       |
| PPE:                                                                                                 | Work footwear.                                                                                                                                                                                                                                               |                           |       |
| Characteristics:                                                                                     | «CE» marking, category II.                                                                                                                                                                                                                                   |                           |       |
| CEN standards:                                                                                       | EN ISO 13287, EN 20347                                                                                                                                                                                                                                       |                           |       |
| Maintenance:                                                                                         | This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.                                                                                                                     |                           |       |
| Observations:                                                                                        | Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident                                                                                                                      |                           |       |



## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

### 9.1 Information on basic physical and chemical properties.

Physical state: Liquid.

Colour: White.

Odour: Not applicable/Not available due to the nature/properties of the product.

Odour threshold: Not applicable/Not available due to the nature/properties of the product.

Melting point: Not applicable/Not available due to the nature/properties of the product.

#### Dirección Corporativa:

ACE COATINGS S.L.  
Campo Sagrado, 11  
33205 - Gijón - España (Spain)



+34 985 323 328  
www.acecoatings.com  
info@acecoatings.com

ACE COATINGS LATAM SPA  
Av/ Apoquindo 3885 Piso 18  
Las Condes-Santiago de Chile  
+56 931 865 276



# ACE DECOFLOOR 150 BASE

Freezing point: Not applicable/Not available due to the nature/properties of the product.  
Boiling point or initial boiling point and boiling range: Not applicable/Not available due to the nature/properties of the product.  
Flammability: Not applicable/Not available due to the nature/properties of the product.  
Lower explosion limit: Not applicable/Not available due to the nature/properties of the product.  
Upper explosion limit: Not applicable/Not available due to the nature/properties of the product.  
Flash point:  $\geq 88$  °C.  
Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product.  
Decomposition temperature: Not applicable/Not available due to the nature/properties of the product.  
pH: Not applicable/Not available due to the nature/properties of the product.  
Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product.  
Solubility: Not applicable/Not available due to the nature/properties of the product.  
Hydrosolubility: Not applicable/Not available due to the nature/properties of the product.  
Liposolubility: Not applicable/Not available due to the nature/properties of the product.  
Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product.  
Vapour pressure: Not applicable/Not available due to the nature/properties of the product.  
Absolute density: Not applicable/Not available due to the nature/properties of the product.  
Relative density: 3.17.  
Relative vapour density: Not applicable/Not available due to the nature/properties of the product.  
Particle characteristics: Not applicable/Not available due to the nature/properties of the product.

## 9.2 Other information

Viscosity: Not applicable/Not available due to the nature/properties of the product.  
Explosive properties: Not applicable/Not available due to the nature/properties of the product.  
Oxidizing properties: Not applicable/Not available due to the nature/properties of the product.  
Dropping point: Not applicable/Not available due to the nature/properties of the product.  
Blink: Not applicable/Not available due to the nature/properties of the product.

## SECTION 10: STABILITY AND REACTIVITY.

### 10.1 Reactivity.

The product does not present hazards by their reactivity.

### 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

# ACE DECOFLOOR 150 BASE

## 10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

## 10.4 Conditions to avoid.

Avoid any improper handling.

## 10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

## 10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

## SECTION 11: TOXICOLOGICAL INFORMATION.

### 11.1 Information on hazard classes as defined in Regulation (EC) N° 1272/2008.

There are no tested data available on the product.

#### a) acute toxicity;

Not conclusive data for classification.

Acute Toxicity Estimate (ATE):

Mixtures:

ATE (Oral) = 33.333 mg/kg

#### b) skin corrosion/irritation;

Not conclusive data for classification.

#### c) serious eye damage/irritation;

Not conclusive data for classification.

#### d) respiratory or skin sensitisation;

Product classified:

Skin sensitizer, Category 1: May cause an allergic skin reaction.

#### e) germ cell mutagenicity;

Not conclusive data for classification.

#### f) carcinogenicity;

Not conclusive data for classification.

#### g) reproductive toxicity;

Not conclusive data for classification.

#### h) STOT-single exposure;

Not conclusive data for classification.

#### i) STOT-repeated exposure;

Not conclusive data for classification.

#### j) aspiration hazard;

Not conclusive data for classification.

## **ACE DECOFLOOR 150 BASE**

### 11.2 Information on other hazards.

#### Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

#### Other information

There is no information available on other adverse health effects.

## **SECTION 12: ECOLOGICAL INFORMATION.**

### 12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

### 12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

### 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

### 12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

## **SECTION 13: DISPOSAL CONSIDERATIONS.**

### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

#### **Dirección Corporativa:**

ACE COATINGS S.L.  
Campo Sagrado, 11  
33205 - Gijón - España (Spain)



+34 985 323 328  
www.acecoatings.com  
info@acecoatings.com

ACE COATINGS LATAM SPA  
Av/ Apoquindo 3885 Piso 18  
Las Condes-Santiago de Chile  
+56 931 865 276

# ACE DECOFLOOR 150 BASE

## SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

14.1 UN number or ID number.  
Transportation is not dangerous.

14.2 UN proper shipping name.  
Description:  
ADR/RID: Not classified as hazardous for transport.  
IMDG: Not classified as hazardous for transport.  
ICAO/IATA: Not classified as hazardous for transport.

14.3 Transport hazard class(es).  
Transportation is not dangerous.

14.4 Packing group.  
Transportation is not dangerous.

14.5 Environmental hazards.  
Transportation is not dangerous.  
Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): Not applicable.

14.6 Special precautions for user.  
Transportation is not dangerous.

14.7 Maritime transport in bulk according to IMO instruments.  
Transportation is not dangerous.

## SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

# ACE DECOFLOOR 150 BASE

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

## 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

Classification codes:

Acute Tox. 4 : Acute toxicity (Inhalation), Category 4

Acute Tox. 4 : Acute toxicity (Oral), Category 4

Aquatic Chronic 3 : Chronic effect to the aquatic environment, Category 3

Flam. Liq. 3 : Flammable liquid, Category 3

Skin Sens. 1 : Skin sensitizer, Category 1

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards: On basis of test data

Health hazards: Calculation method

Environmental hazards: Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

PPE: Personal protection equipment.

# ACE DECOFLOOR 150 BASE

Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

Regulation (EU) 2020/878.

Regulation (EC) No 1907/2006.

Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.

**Dirección Corporativa:**

ACE COATINGS S.L.  
Campo Sagrado, 11  
33205 - Gijón - España (Spain)



+34 985 323 328  
[www.acecoatings.com](http://www.acecoatings.com)  
[info@acecoatings.com](mailto:info@acecoatings.com)

ACE COATINGS LATAM SPA  
Av/ Apoquindo 3885 Piso 18  
Las Condes-Santiago de Chile  
+56 931 865 276