

Safety Data Sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ACE EPOPRIMER WET B CATALIZADOR

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product name: ACE EPOPRIMER WET B CATALIZADOR
UFI: AT10-H0T1-400R-QSJ8

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Identified use: Component of a primer system.
Uses advised against: Any use other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: **ACE COATINGS**
Address: Campo Sagrado, 1133205
City: Gijón
Province: Asturias
Telephone: +34 985 323 328
E-mail: info@acecoatings.com
Web: www.acecoatings.com

1.4 Emergency telephone number:

+34 985 32 33 28 (Only available during office hours)
+34 91 562 04 20 Toxicological Information Service
Emergency phone number in Chile (Chemical and/or Toxicological): Corporation RITA-Chile: 2 2777 1994

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Acute Tox. 4: Harmful if swallowed.
Aquatic Acute 1: Very toxic to aquatic life.
Aquatic Chronic 1: Very toxic to aquatic life with long-lasting effects.
Eye Dam. 1: Causes serious eye damage.
Skin Corr. 1B: Causes severe skin burns and eye damage.
Skin Sens. 1: May cause an allergic skin reaction.

Safety Data Sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ACE EPOPRIMER WET B CATALIZADOR

2.2 Label elements.

CLP Regulation (EC) No 1272/2008:



Signal word: **Warning**

Hazard statements:

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H410: Very toxic to aquatic life with long-lasting effect.

Precautionary statements:

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor/...

P321: Specific treatment required (see information on the label and Section 4 of the SDS)..

P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

Substances that contribute to the classification

Benzyl alcohol, 2,4,6-tris(dimethylaminomethyl)phenol, 3-aminopropyl dimethylamine (N,N-dimethyl-1,3-propanediamine), 2-(piperazin-1-yl)ethylamine, Fatty acids, C18 unsaturated, dimers and oligomeric reaction products with tall-oil fatty acids and triethylenetetramine, Fatty acid amides from tall oil fatty acids and tetraethylenepentamine

Other hazards:

The mixture does not contain substances classified as PBT or vPvB.

The mixture does not contain endocrine-disrupting substances.

Under normal conditions of use, the product does not present additional adverse effects on health or the environment.

Safety Data Sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ACE EPOPRIMER WET B CATALIZADOR

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance.

Not relevant.

3.2 Mixture.

Substances presenting a hazard to health or the environment in accordance with Regulation (EC) No 1272/2008, having a Community workplace exposure limit, classified as PBT/vPvB or included in the Candidate List:

Identifiers	Substance name	Concentration	(*)Classification (CLP)1272/2008	
			Classification	Specific concentration limits and Acute Toxicity Estimation (ATE)
CAS: 100-51-6 EC: 202-859-9	Benzyl alcohol	14 - 50 %	Acute Tox. 4, H302 – Eye Irrit. 2, H319 – Skin Sens. 1, H317	Oral route: ETA = 1200 mg/kg bw (ATP 21)
CAS: 68155-17-9 EC: 268-945-3	Fatty acid amides from tall oil fatty acids and tetraethylenepentamine	25 - 50 %	Aquatic Acute 1, H400 – Aquatic Chronic 1, H410 – Eye Dam. 1, H318 – Skin Corr. 1C, H314	-
CAS: 68082-29-1 EC: 500-191-5	Fatty acids, C18 unsaturated, dimers and oligomeric reaction products with tall oil fatty acids and triethylenetetramine	3 - 50 %	Eye Dam. 1, H318	-
CAS: 140-31-8 EC: 205-411-0	2-piperazin-1-iletamine	5 - 25 %	Acute Tox. 4, H302+H312 – Skin Corr. 1B, H314– Skin Sens. 1, H317	-
CAS: 109-55-7 EC: 203-680-9	3-aminopropylidimethylamine (N,N-dimethyl-1,3-propanediamine)	3 - 5 %	Acute Tox. 4, H302 Eye Dam. 1, H318 – Skin Irrit. 2, H315 – Skin Sens. 1, H317	-
CAS: 90-72-2 EC: 202-013-9	2,4,6-tris(dimethylaminomethyl)phenol	1 - 10 %	Acute Tox. 4, H302	-

To obtain more information on the hazards of the substances consult sections 16.

SECTION 4: FIRST AID MEASURESECCIÓN.

4.1 Description of first aid measures:

In case of doubt or if symptoms persist, seek medical advice. Never give anything by mouth to an unconscious person.

Inhalation:

Move the affected person to fresh air. Keep warm and at rest. If breathing is irregular or stops, provide artificial respiration.

Safety Data Sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ACE EPOPRIMER WET B CATALIZADOR

Eye contact:

Remove contact lenses if present and easy to do. Rinse cautiously with plenty of clean water for at least 10 minutes, keeping eyelids open. Seek medical attention.

Skin contact:

Remove contaminated clothing. Wash skin thoroughly with soap and water or a suitable skin cleanser. Never use solvents or thinners.

Ingestion:

Seek immediate medical attention. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Corrosive product. Contact with the eyes or skin may cause burns; ingestion or inhalation may cause internal damage. If such exposure occurs, immediate medical attention is required.

Harmful product. Prolonged exposure by inhalation may cause anaesthetic effects and require immediate medical attention.

Contact with the eyes may cause irreversible damage.

May cause an allergic reaction, dermatitis, redness or inflammation of the skin.

4.3 Indication of any immediate medical attention and special treatment needed:

In case of doubt, or if symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Do not induce vomiting. If vomiting occurs, keep the airways clear.

SECTION 5: FIREFIGHTING MEASURES.

5.1 Extinguishing media.

Suitable extinguishing media:

Dry powder or CO₂. For large fires, alcohol-resistant foam or water spray.

Unsuitable extinguishing media:

Do not use direct water jet.

5.2 Special hazards arising from the substance or mixture:

Exposure to combustion or decomposition products may be harmful to health.

5.3 Advice for firefighters:

Cool tanks, cisterns or containers exposed to heat or fire with water. Take wind direction into account. Prevent fire-fighting products from entering drains, sewers or watercourses. Product residues and fire-fighting media may contaminate the aquatic environment.

Protective equipment for firefighters

Depending on the magnitude of the fire, the use of heat-resistant protective clothing, self-contained breathing apparatus, gloves, safety goggles or face shields, and boots may be required.

Safety Data Sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ACE EPOPRIMER WET B CATALIZADOR

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

Ensure adequate ventilation. Avoid contact with skin and eyes. Use personal protective equipment as specified in Section 8.

6.2 Environmental precautions:

Hazardous to the environment. In the event of large spills or if the product contaminates lakes, rivers or sewers, inform the competent authorities in accordance with local legislation.
Avoid contamination of drains, surface water, groundwater and soil.

6.3 Methods and material for containment and cleaning up:

Contain and collect the spill using inert absorbent material (earth, sand, vermiculite, diatomaceous earth, etc.) and clean the affected area immediately with a suitable decontaminant.
Dispose of the collected waste in suitable, closed containers for disposal in accordance with local and national regulations (see Section 13).

6.4 Reference to other sections:

For personal protective equipment, see Section 8.
For waste disposal, see Section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see Section 8.
Smoking, eating and drinking must be prohibited in the application area.
Comply with occupational health and safety regulations.
Never use pressure to empty containers, as they are not pressure-resistant. Keep the product in containers made of the same material as the original packaging.

7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local regulations. Observe the instructions on the label. Store containers between 5 and 25 °C in a dry, well-ventilated place, away from sources of heat and direct sunlight.
Keep away from ignition sources. Keep away from oxidising agents and strongly acidic or alkaline materials. No smoking. Prevent access by unauthorised persons.
Once containers have been opened, they must be carefully resealed and stored upright to prevent spillage.

The product is not subject to Directive 2012/18/EU (Seveso III).

7.3 Specific end use(s):

Component of a primer system.

Safety Data Sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ACE EPOPRIMER WET B CATALIZADOR

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters:

The product does not contain substances with Occupational Exposure Limit Values.

The product does not contain substances with Biological Limit Values.

DNEL/DMEL concentration levels:

Name	DNEL/DMEL	Type	Value
Benzyl alcohol CAS: 100-51-6 EC: 202-859-9	DNEL (Workers)	Inhalation, Chronic, Systemic effects	90 (mg/m ³)
2-piperazin-1-iletamine CAS: 140-31-8 EC: 205-411-0	DNEL (Workers)	Inhalation, Chronic, Systemic effects	3,6 (mg/m ³)
3-aminopropylidimethylamine (N,N-dimethyl-1,3-propanediamine) CAS: 109-55-7 EC: 203-680-9	DNEL (Workers)	Inhalation, Chronic, Local effects	4,9 (mg/m ³)
	DNEL (Workers)	Inhalation, Chronic, Systemic effects	4,9 (mg/m ³)
2,4,6-tris(dimethylaminomethyl)phenol CAS: 90-72-2 EC: 202-013-9	DNEL (Workers)	Inhalation, Chronic, Systemic effects	0,31 (mg/m ³)

DNEL: Derived No-Effect Level, exposure level to a substance below which no adverse effects are expected.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk that should be considered a minimal tolerable risk.

8.2 Exposure controls .

Engineering measures:

Provide adequate ventilation, which can be achieved by effective local exhaust ventilation and a suitable general ventilation system.

Concentration:	100 %
Uses:	Primer.
Respiratory protection:	
PPE:	Filtering mask for protection against gases and particles
Characteristics:	CE marked, Category III. The mask must provide a wide field of vision and an anatomical shape to ensure a tight and sealed fit.
CEN standards:	EN 136, EN 140, EN 405
Maintenance:	Do not store in places exposed to high temperatures or humid environments prior to use. Particular attention must be paid to the condition of the inhalation and exhalation valves of the facepiece adapter.
Observations:	Carefully read the manufacturer's instructions regarding use and maintenance of the equipment. The appropriate filters shall be fitted according to the specific characteristics of the risk (Particles and aerosols: P1-P2-P3; Gases and vapours: A-B-E-K-AX) and replaced as recommended by the manufacturer.
Required filter type:	A2

Safety Data Sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ACE EPOPRIMER WET B CATALIZADOR

Hand protection:			
PPE:	Reusable chemical-resistant protective gloves		
Characteristics:	CE marked, Category III.		
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420		
Maintenance:	Store in a dry place, away from possible heat sources, and avoid exposure to sunlight as much as possible. Do not make any modifications to the gloves that could alter their resistance, and do not apply paints, solvents or adhesives.		
Observations:	Gloves must be the correct size and fit the hand properly, without being too loose or too tight. They must always be used with clean and dry hands.		
Material:	PVC (polyvinyl chloride)	Breakthrough time (min):	> 480
		Material thickness (mm):	0,35
Eye protection:			
PPE:	Full-face protective goggles		
Characteristics:	CE marked, Category II. Integral-frame eye protection for protection against liquid splashes, dust, fumes, mists and vapours.		
CEN standards:	EN 165, EN 166, EN 167, EN 168		
Maintenance:	Visibility through the visor must be optimal; therefore, these elements must be cleaned daily. Protective equipment must be disinfected periodically following the manufacturer's instructions. Ensure that moving parts operate smoothly.		
Observations:	Face shields must provide a field of vision with a minimum central vertical dimension of 150 mm once fitted to the frame.		
Skin protection:			
PPE:	Chemical protective clothing		
Characteristics:	CE marked, Category III. The protective clothing must fit properly. The level of protection shall be determined based on a test parameter known as "Breakthrough Time (BT)", which indicates the time taken by the chemical product to permeate through the material.		
CEN standards:	EN 464, EN 340, EN 943-1, EN 943-2, EN ISO 6529, EN ISO 6530, EN 13034		
Maintenance:	The washing and maintenance instructions provided by the manufacturer must be followed to ensure consistent protection.		
Observations:	The design of the protective clothing should allow correct positioning and remain in place without displacement during the intended period of use, taking into account environmental factors as well as the movements and postures that the user may adopt during the activity.		
PPE:	Safety footwear resistant to chemicals and with Antistatic properties		
Characteristics:	CE marked, Category III. The list of chemicals against which the footwear is resistant must be checked.		
CEN standards:	EN ISO 13287, EN 13832-1, EN 13832-2, EN 13832-3, EN ISO 20344, EN ISO 20345		
Maintenance:	For the proper maintenance of this type of safety footwear, it is essential to follow the instructions specified by the manufacturer. The footwear must be replaced at any sign of deterioration.		
Observations:	The footwear should be cleaned regularly and dried when wet, but without placing it too close to a heat source in order to avoid sudden temperature changes.		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties:

Physical state:	Liquid
Colour:	Yellowish
Odour:	Amine-like
Odour threshold:	N.D./N.A.
pH:	13 (10%)
Melting point:	N.D./N.A.
Freezing point:	N.D./N.A.
Boiling point/boiling range:	120 °C

Safety Data Sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ACE EPOPRIMER WET B CATALIZADOR

Flash point:	$\geq 80^{\circ}\text{C}$
Evaporation rate:	N.D./N.A.
Flammability:	N.D./N.A.
Lower explosive limit:	N.D./N.A.
Upper explosive limit:	N.D./N.A.
Vapour pressure:	0.075
Vapour density:	N.D./N.A.
Relative density:	0.97
Solubility:	N.D./N.A.
Lipid solubility:	N.D./N.A.
Water solubility:	N.D./N.A.
Partition coefficient (n-octanol/water):	N.D./N.A.
Auto-ignition temperature:	N.D./N.A.
Decomposition temperature:	N.D./N.A.
Viscosity:	N.D./N.A.
Explosive properties:	N.D./N.A.
Oxidising properties:	N.D./N.A.

*(N.D./N.A. = Not determined / Not applicable due to the nature of the product.)

9.2 Other information .

Not relevant due to the nature of the product, not providing information property of its hazards

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards due to its reactivity.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see Section 7).

10.3 Possibility of hazardous reactions:

The product does not present the possibility of hazardous reactions.

10.4 Conditions to avoid:

Avoid any kind of improper handling.

10.5 Incompatible materials.

Keep away from oxidising agents and strongly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products.

The product does not decompose when used for its intended purposes.

Safety Data Sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ACE EPOPRIMER WET B CATALIZADOR

SECTION 11: TOXICOLOGICAL INFORMATION.

No tested data are available for the product.

Splashes in the eyes may cause serious and irreversible damage.

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

a) Acute toxicity: Product classified: Acute oral toxicity, Category 4 – Harmful if swallowed.

Acute Toxicity Estimate (ATE):

Mixtures:

ATE (Dermal) = 18,333 mg/kg

ATE (Oral) = 1,087 mg/kg

b) Skin corrosion/irritation: Product classified: Skin corrosion, Category 1B – Causes severe skin burns and eye damage.

c) Serious eye damage/eye irritation: Product classified: Serious eye damage, Category 1 – Causes serious eye damage.

d) Respiratory or skin sensitisation: Product classified: Skin Sensitiser, Category 1 – May cause an allergic skin reaction.

e) Germ cell mutagenicity: Data are inconclusive for classification.

f) Carcinogenicity: Data are inconclusive for classification.

g) Reproductive toxicity: Data are inconclusive for classification.

h) Specific target organ toxicity (STOT) – single exposure: Data are inconclusive for classification.

i) Specific target organ toxicity (STOT) – repeated exposure: Data are inconclusive for classification.

j) Aspiration hazard: Data are inconclusive for classification.

11.2 Information on other hazards.

Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties affecting human health.

Other information

No information is available on other adverse health effects.

Safety Data Sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ACE EPOPRIMER WET B CATALIZADOR

SECCIÓN 12: ECOLOGICAL INFORMATION.

The experimental information related to the eco-toxicological properties of the product itself is not available.
Harmful to aquatic life with long lasting effects.

12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present

12.2 Persistence and degradability:

No information is available regarding the biodegradability of the substances present.

No information is available regarding the degradability of the substances present.

No information is available on the persistence and degradability of the product.

12.3 Bioaccumulative potential.

Substance-specific information:

Identification	Bioaccumulation potential	
Benzyl alcohol CAS: 100-51-6 EC: 202-859-9	BCF	-
	Log POW	1,05
	Potential	Very low

12.4 Mobility in soil.

No information is available regarding mobility in soil.

The product must not be allowed to enter sewers or watercourses.

Avoid penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available regarding the PBT and vPvB assessment of the product.

12.6 Propiedades de alteración endocrina:

This product does not contain components with endocrine-disrupting properties affecting the environment.

12.7 Other adverse effects.

The product is not subject to Regulation (EU) 2024/590 of the European Parliament and of the Council of 7 February 2024 on substances that deplete the ozone layer.

No information is available on other adverse effects on the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Métodos para el tratamiento de residuos.

Discharge into sewers or watercourses is not permitted. Waste and empty containers must be handled and disposed of in accordance with applicable local and national regulations.

Follow the provisions of Directive 2008/98/EC regarding waste management

Safety Data Sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ACE EPOPRIMER WET B CATALIZADOR

SECTION 14: TRANSPORT INFORMATION.

Transport in accordance with ADR/TPC regulations for road transport, RID for rail transport, IMDG for sea transport and ICAO/IATA for air transport.

Land: Road transport: ADR. Rail transport: RID. Transport documentation: Consignment note and written instructions.

Sea: Sea transport: IMDG. Transport documentation: Bill of lading.

Air: Air transport: IATA/ICAO. Transport document: Air waybill.)

14.1 UN Number

UN No.: UN 2375

14.2 UN proper shipping name

Description:

ADR/RID: UN 2735, POLYAMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS FATTY ACID AMIDES FROM TALL OIL FATTY ACIDS AND TETRAETHYLENEPENTAMINE / 2-(PIPERAZIN-1-YLETHYLAMINE), 8, PG I, (E)

IMDG: UN 2735, POLYAMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS FATTY ACID AMIDES FROM TALL OIL FATTY ACIDS AND TETRAETHYLENEPENTAMINE / 2-(PIPERAZIN-1-YLETHYLAMINE), 8, PG/E I MARINE POLLUTANT

ICAO/IATA: POLYAMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS FATTY ACID AMIDES FROM TALL OIL FATTY ACIDS AND TETRAETHYLENEPENTAMINE / 2-(PIPERAZIN-1-YLETHYLAMINE), 8, PG I

14.3 Transport hazard class(es)

Class: 8

14.4 Packing group

Packing group: I

14.5 Environmental hazards

Marine pollutant: Yes



Environmentally hazardous substance

Sea transport, EmS – Emergency Schedules (F – Fire, S – Spillage): F-A, S-B

14.6 Special precautions for user

Labels: 8



Safety Data Sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ACE EPOPRIMER WET B CATALIZADOR

Hazard identification number: 88

Provisions for bulk transport under ADR: Transport in bulk is not authorised under ADR.

Act in accordance with Section 6.

Limited quantities:

ADR: 0

IMDG: 0

ICAO: 0

14.7 Maritime transport in bulk according to IMO instruments

The product is not subject to transport in bulk by sea.

SECTION 15: REGULATORY INFORMATION.

This information is included in the present Safety Data Sheet of the preparation.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Volatile organic compound (VOC)

VOC content (w/w): 40 %

VOC content: 380 g/L

Classification of the product according to Annex I of Directive 2012/18/EU (SEVESO III): N/A

The product is not subject to Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not subject to the procedure laid down in Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals..

15.2 Chemical safety assessment.

A chemical safety assessment has not been carried out for the product.

SECTION 16: OTHER INFORMATION.

Texts of the legislative phrases mentioned in section 3:

H302: Harmful if swallowed.

H302+H312: Harmful if swallowed or in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long-lasting effects..

Safety Data Sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ACE EPOPRIMER WET B CATALIZADOR

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: Acute dermal toxicity, Category 4
Acute Tox. 4: Acute oral toxicity, Category 4
Aquatic Acute 1: Acute aquatic toxicity, Category 1
Aquatic Chronic 1: Chronic aquatic toxicity, Category 1
Aquatic Chronic 3: Chronic aquatic toxicity, Category 3
Eye Dam. 1: Serious eye damage, Category 1
Eye Irrit. 2: Eye irritation, Category 2
Flam. Liq. 3: Flammable liquid, Category 3
Skin Corr. 1B: Skin corrosion, Category 1B
Skin Corr. 1C: Skin corrosion, Category 1C
Skin Irrit. 2: Skin irritation, Category 2
Skin Sens. 1: Skin sensitisation, Category 1
Skin Sens. 1B: Skin sensitisation, Category 1B.

Classification and procedure used to determine the classification of mixtures according to Regulation (EC) No 1272/2008 (CLP):

Physical hazards: Based on test data
Health hazards: Calculation method
Environmental hazards: Calculation method.

Advice related to training:

Basic training in occupational safety and hygiene is recommended to ensure the correct handling of the product.

Key bibliographic references and data sources:

<http://eur-lex.europa.eu/homepage.html>
<http://echa.europa.eu/>
Regulation (EU) 2020/878.
Regulation (EC) No 1907/2006.
Regulation (EC) No 1272/2008.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
BCF: Bioconcentration Factor.
CEN: European Committee for Standardization.
DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk that should be considered a minimal tolerable risk.
DNEL: Derived No-Effect Level, exposure level to a substance below which no adverse effects are expected.
EC50: Median effective concentration.
PPE: Personal protective equipment.

Safety Data Sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ACE EPOPRIMER WET B CATALIZADOR

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organization.

IMDG: International Maritime Dangerous Goods Code.

LC50: Median lethal concentration (50%).

LD50: Median lethal dose (50%).

NOEC: No Observed Effect Concentration.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

The information provided in this Safety Data Sheet has been prepared in accordance with Commission Regulation (EU) 2020/878 of 18 June 2020, amending Annex II of Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

The information contained in this Product Safety Data Sheet is based on current knowledge and on applicable EU and national legislation. As the conditions of use are outside our knowledge and control, the product must not be used for purposes other than those specified without prior written instructions regarding its handling. It is always the responsibility of the user to take the appropriate measures to ensure compliance with the requirements established by the applicable legislation.